

Greens Rollers

*Quality of Workmanship, Innovative
Design, Built to Last!*

MADE IN THE U.S.A



● "I have used this machine at previous courses. Best on the market."
Morris Country Club, Morris, IL

With **Two, 10-3/4" Oscillating Rolls, Both Driven** for positive traction and **Articulating Steering**, the Salsco Greens Rollers have proven to be an invaluable tool for many jobs, besides rolling greens.

● "We have had a Salsco roller for over 10 years & it has been very reliable and durable and has worked out great for us. The new one is everything we expected it to be." Trenton Country Club, W. Trenton, NJ

The Salsco Roller can easily be unloaded or loaded from anywhere around the green thereby **Direction of Rolling can be Changed as Desired.**

1 - Gas or Electric!

**THE SALSCO GREENS ROLLERS, GAS OR ELECTRIC, ARE THE
#1 PREFERRED ROLLERS, WORLDWIDE, SINCE 1992!**

The Transport Trailer comes Standard with the Salsco Greens Rollers. Turf tires protect the turf, and the extra long tailgate with a 1/4" thick, full traction mat and easy load guides, means easy on and off.

● "The Roller performs as expected. We think you have a great product line & excellent customer service." Devils Ridge Golf Club, Holly Springs, NC

Greens Speed can be Increased to 1-1/2' or More, without compaction, without changing undulations, and without burn marks from slipping.



● "The Roller works well and is easy to operate."
Atlungstad Golf Course, Ottestad, Norway



105 School House Road
Cheshire, CT 06410 U.S.A.
800-872-5726 (Toll Free), 203-271-1682, 203-271-2596 (Fax)
www.salsco.com, sales@salsco.com (email)

Celebrating 30 Years of Excellence!

REV. 1/09

Gas Greens Rollers

Models 09065 (13HP Honda, Electric Start)
09066 (9HP Honda, Electric Start)
09067 (8HP Honda, Pull Start)



Direction of rolling can be changed as often as needed since the Salsco Roller is easy to load and unload from anywhere around the green. A Full Traction mat and Loading Guides have been added and are now standard, along with the dual Lock Latch on the Tailgate. The Greens Roller Trailer has many other uses around the golf course as well. Two Greens Mowers will easily fit inside the trailer.

“We already have two and we’re buying two more! The Roller is excellent. We like the Electric Start & Lights.” Quail Creek Country Club, Naples, FL

- Dual Drive Oscillating Rolls
- Articulating Steering
- Automotive Type Steering Wheel
- Tilt Steering Wheel
- Forward/Reverse Seat Slide
- Improved High Back Seat
- Transport Trailer

“We have been a long time user of the Salsco Roller, and it performs as expected. We are a repeat Salsco Roller customer.” The Misquamicut Club, Westerly, RI



STANDARD SPECIFICATIONS & FEATURES

ENGINE OPTIONS:	Model 09067 - 8 HP Pull Start Honda Model 09066 - 9 HP Electric Start Honda Model 09065 - 13 HP Electric Start Honda
CONTROLS:	On/Off Switch, choke & fuel
HOUR METER:	Standard on all models.
BATTERY:	12 v. 9 HP & 13 HP Honda Electric Start Engines.
FUEL TANK:	Gasoline - 6.5 gallon fuel capacity
ENGINE COOLING FAN:	Standard, 13 HP Honda Engine Only
SEAT:	Molded cushion with protective edge trim, neutral safety switch & forward/reverse slide adjustment.
STEERING WHEEL:	13-1/4" Diameter, Automotive Type, Tilt steering wheel.
STEERING SYSTEM:	Both rolls oscillate and articulate to smooth the surface without changing the undulations designed into the green.
BRAKES:	Hydrostatic
TRACTION DRIVE:	Hydraulic pump to 2 hydrostats _ 1 to each roll. Chain drive from hydraulic motors to rolls. #50 Chain & Sprockets.
HYDRAULIC SYSTEM:	Two (2) Hydraulic Motors, Disp. 7.3 Cu.In., One (1) Hydraulic Pump, Disp. 62 Cu.In., with return to neutral assembly. 25 Micron Filter, Five (5) gallon hydraulic oil capacity. Hydraulic hoses, 2,500 - lbs., P.S.I. working, 10,000- lbs., P.S.I. burst.
CLIMBING TRACTION:	Up to 40-degrees.
SPEED:	Variable, 0 - 5.4 Miles Per Hour
ROLLS:	Two (2) oscillating steel rollers, both driven for positive traction. Diameter - 10-3/4", Width - 36" with beveled ends, and scrapers.
COMPACTION:	Without Water - 4.2-lbs., P.S.I. With Water added to rolls - Adds 200-lbs., or 1.4 P.S.I.
MAIN FRAME:	2" - 2-1/2" x 1/8" Steel S. Tube. Fully gusseted, continuous welds.
GUARDS/DECALS:	All moving parts guarded. Full set of Safety Decals.
PAINT:	Orange, Polyester Powder Coat Paint Provides Excellent Outdoor Weatherability and Offers Protection Against Ultra Violet Discoloration. All Parts Painted Separately.
OPTIONS:	Light Kit; Brush Kit; Tournament Roll Kit; Spike-Air Kit
WARRANTY:	5-Year Limited Warranty.
G.G.R. DIMENSIONS:	Length - 40"; Width - 42"; Height - 53"; Weight - 610 lbs.
TRANSPORT TRAILER:	Two sizes available (See dimensions below.) Both have dual lock latch tailgate ramp with a full 1/4" thick traction mat and loading guide rails Lock Latch, Standard.
AXLE:	Spindle type, with Hub Assemblies.
TIRE/WHEEL ASSEMBLIES:	Two (2) 18.5 x 8.5-8, 6-Ply
HITCH:	Farm type pin coupler, height adjustable.
JACK:	Bolt on, Swivel Jack stand with Castor Wheel mounted to trailer frame.
TRANSPORT TRAILER DIMENSIONS:	MODEL 09014: Standard Trailer-42-1/2" Long x 46" Wide x 10" High Side Rails. (With trailgate up - not including tongue) Weight: 320 lbs. MODEL 09056: Standard Trailer for Rollers with Spike Air or Tournament Roll Options Installed. 58" Long x 46" Wide x 10" High Side Rails.(With trailgate up - not including tongue) Weight: 368 lbs.

Specifications & Options Subject to Change Without Notice. REV. 1/09

Electric Greens Rollers

Models 09054 & 09074 - QC (Quick Charge)

The Green - Greens Roller

NO OIL - NO HEAT - NO NOISE - NO POLLUTION



Pictured in the new QC Electric Greens Roller with the new Tilt Steering Wheel, High Back Seat, Spike Air Roll and Tournament Roll installed. This unit also features a Removable Battery Pack!

“We like how fast the Electric Roller works.”
Evanston Golf Club, Wheeling, IL

Accessories for the Model 09074, Electric Greens Roller QC, with Removable Battery Pack.



The Battery Tray, complete with Batteries and Watering system, locks in place in the battery compartment under the seat of the QC.



When batteries need to be recharged, the Battery Tray Cart easily rolls into place under the tray. Un-latch the tray and lock it into place on the cart, to transport the discharged battery pack to the Battery Tray Holder. Plug in the charger to the Battery Tray and use the Battery Tray Cart to transport the charged Battery Pack to replace the removed Battery Pack in the QC.



The QC Electric Roller will be back on the green rolling, in no time at all. All 3 accessories (Battery Pack Complete, Battery Pack Cart & Battery Pack Tray Holder) are available separately.

STANDARD SPECIFICATIONS & FEATURES

SPEED CONTROLLER:	Curtis Electric
ELECTRIC MOTORS:	Two (2), 3HP, DC
GEAR BOXES:	Two (2) Industrial Gear Boxes, 7-1 Reduction
BATTERY DISCHARGE INDICATOR	Standard.
BATTERIES:	Trojan, 6V Deep Cycle (6)
BATTERY WATERING SYSTEM:	Standard.
REMOVABLE BATTERY TRAY (QC)	Standard. Slide out. Complete, with charger plug, batteries and battery watering system.
LIGHT KIT:	Standard.
SEAT:	Molded cushion with protective edge trim, neutral safety switch & forward/reverse slide adjustment.
STEERING WHEEL:	13-1/4" Diameter, Automotive Type, Tilt steering wheel.
STEERING SYSTEM:	Both rolls oscillate and articulate to smooth the surface without changing the undulations designed into the green.
BRAKES:	Caliper Disc Parking Brake.
CLIMBING TRACTION:	Up to 40-degrees.
SPEED:	Variable, 0-8 Miles Per Hour.
ROLLS:	Two (2) oscillating steel rollers, both driven for positive traction. Diameter - 10-3/4", Width - 36" with beveled ends, and scrapers.
COMPACTION:	Without Water - 5.2-lbs., P.S.I. With Water added to rolls - Adds 200-lbs., or 1.4 P.S.I.
MAIN FRAME:	2" - 2-1/2" x 1/8" Steel Square Tube. Fully gusseted and continuous welds.
GUARDS/DECALS:	All moving parts guarded. Full set of Safety Decals.
PAINT:	Orange, Polyester Powder Coat Paint Provides Excellent Outdoor Weatherability and Offers Protection Against Ultra Violet Discoloration. All Parts Painted Separately.
OPTIONS:	Brush Kit; Tournament Roll Kit; Spike-Air Kit., Battery Charger.
ACCESSORIES (QC)	Battery Cart, Battery Charging Tray, Battery Tray Holder.
WARRANTY:	5-Year Limited Warranty.
E.G.R. DIMENSIONS:	Length 43"; Width 50-1/2"; Height 49-1/2"; Weight 810-lbs.
TRANSPORT TRAILER:	Dual lock latch tailgate ramp with a full 1/4" thick traction mat and loading guide rails. Lock Latch, Standard.
AXLE:	Spindle type, with Hub Assemblies.
TIRE/WHEEL ASSEMBLIES:	Two (2) 18.5 x 8.5-8, 6-Ply
HITCH:	Farm type pin coupler, height adjustable.
JACK:	Bolt on, Swivel Jack stand with Castor Wheel mounted to trailer frame.
TRANSPORT TRAILER DIMENSIONS:	MODEL 09056: 58" Long x 46" Wide with 10" High Side Rails (with tailgate up - not including tongue) Weight:368 lbs.

Specifications, Options & Accessories Subject to Change Without Notice. REV 1/09

Options (All Models)

Tournament Roll Kit

Spike Air Kit

Brush Kit

Light Kit (Gas Rollers)

All Options are available both retro-fit (to most older units) and factory installed on new units. All Salsco Greens Roller models will accommodate these options!

“It does a great job and performs as expected.”
Poolesville Golf Course,
Poolesville MD



The Tournament Roll kit consists of 2 smaller diameter rolls and allows for a double roll in one pass. This will give increased ball speed in 1/2 the

The optional Spike-Air Kit when used on the green will gently spike the green to allow water & oxygen penetration through the crust to the roots of the plant.



“It’s perfect! The Salsco Roller performs as expected.”
Black Sheep Golf Club, Sugar Grove, IL

“We saw huge results on the greens at another golf course in Colorado and were very impressed with the instant results. It is a very well made machine.”
4-Mile Ranch, Florence, CO

The optional Light Kit for the Gas Rollers, allows rolling in the early morning, hours before tournament play.



The optional Brush Kit helps to push in the sand into the green after aeration or over seeding. The Brush Kit used when rolling clay courts, reduces the amount of time before play can begin.



“Top Roller on the market, by far. We like the Spike-Air Option as well. Would definitely purchase from Salsco again!”
Penobscot Valley Country Club, Orono, ME

MANUFACTURER OF OUTDOOR POWER EQUIPMENT

Products for Turf & Lawn care, Rental, Construction, Tree Care, Wood Processing, Nursery & Farm Industries

Other Salsco Equipment

3-1/2” - 18” Capacity, Gas, Diesel, & P.T.O., Wood/Brush Chippers
Chipper Shredder Vacuums - Tailgate & Truckloader Vacuums
Shaving Mills from 14 yds. - 42 yds Per Hour, Electric & Diesel Powered
Mini-Asphalt Pavers, (Tracked & Rubber Tire) - Bale Wrappers & Bale Handlers

Salsco, INC.
LEADER BY DESIGN

105 School House Road
Cheshire, CT 06410 U.S.A.
800-872-5726 (Toll Free), 203-271-1682, 203-271-2596 (Fax)
www.salsco.com, sales@salsco.com (email)