



Engine Driven Chippers

3-1/2" - 6" Capacity!

MADE IN THE U.S.A

3-1/2" - Gravity Feed

8HP - 16HP Engine Options



4" - Gravity Feed

13HP Honda or 116 HP B & S



4" - Hydraulic Feed

16HP - 28HP Engine Options



6" - Hydraulic Feed

25HP Gas or 35HP Diesel Engine Options



6" - Hydraulic Feed or Gravity Feed

Models 6235BXT or 6235B- 35HP B & S



Celebrating Over 30 Years of Excellence!

105 School House Road
Cheshire, CT 06410 U.S.A.
800-872-5726, 203-271-1682
203-271-2596 (Fax)
sales@salsco.com
www.salsco.com



Quality of Workmanship, Innovative Design, Built to Last!

rev. 11-2011

3-1/2" - Gravity Feed 608, 609, 610, 613, 616



The Models 608, 609, 610 or 616 are 3-1/2" capacity chippers, that are just right for grounds clean up jobs. Available with a Back-Yard Tow Package or an Over the Road Wheel Kit.



This unit has a 1/2" thick, sharpenable, replaceable, and adjustable bed knife to provide consistent chip size and the ability to chip even the stringiest, brushiest materials. The impeller is 13" in diameter and is 1" thick, and has four exhaust paddles. There are two 3/8" thick chip blades. **ENGINE OPTIONS:** 8, 10, & 16HP Briggs & Stratton, 8, 9, & 13HP Honda

Easy to Maneuver & Built to Last!

Compact, Tough & Productive!

4" - Gravity Feed 413H & 416B



360 degree exhaust chute with adjustable exhaust deflector, no tools are necessary for adjustment. Extra wide hopper with a 4" x 5" infeed opening. 1/2" thick, steel bed knife; replaceable, sharpenable and

adjustable! Easy access to impeller for chip blade maintenance. **ENGINE OPTIONS:** 13HP Honda, 16HP Briggs & Stratton



The Best Performing 4" Chipper on the Market Today!

4" - Hydraulic Feed 8416, 8421, 8420, 8425, 8428

The fully balanced chipper disc is 18-7/8" in diameter and 3/4" thick, with six exhaust paddles, welded and gusseted for extra strength and weighs approximately 160 lbs. There are 2 chip blades, ***1/2" thick x 7-1/4" long x 4" wide*** and they are ***double sided!*** Both the vertical and the horizontal bed knives, are reversible, adjustable and sharpenable. ***Optional Speed Sensing.*** This option counts the Chipper Disc R.P.M. and if the R.P.M. of the disc drops below the calibrated low R.P.M., due to a combination of large and long branches, the Speed Sensing will stop the feed roll to allow the Chipper Disc R.P.M. to recover to the calibrated high, and then continue to feed.



ENGINE OPTIONS:
16HP OR 21HP Briggs & Stratton,
20HP or 25HP Kohler, 28HP Kawasaki

Easy to Maintain,
Easy to Operate!

6" - Hydraulic Feed OR Gravity Feed
6235BXT, 6235B



Model 6235BXT - Hydraulic Feed

The impeller housing opens easily for access to the chip blades. Cast iron, greasable, self-centering bearings on the impeller shaft. The bed knife is adjustable, sharpenable, and reversible.



Model 6235B - Gravity Feed

The 6235B is a gravity feed unit and the 6235BXT is a hydraulic feed chipper. Both units utilize a 35HP Briggs and Stratton electric start gas engine. The infeed opening is 7" x 8". The Tor-Flex axle provides a smooth, quiet ride and features an independent suspension. The 6235BXT has Dual Feed Rolls and Speed sensing is available as an option.

The infeed opening is 7" x 8". The Tor-Flex axle provides a smooth, quiet ride and features an independent suspension. The 6235BXT has Dual Feed Rolls and Speed sensing is available as an option.



Model 6235BXT - Infeed Hopper

6" - Hydraulic Feed
8625K, 8635K, 8635Y



The extra wide infeed means that this chipper will easily accept a 6" round branch with limbs.

Electric Safety Lock is standard and prevents the engine from being started if the impeller housing is open.



Extra Wide 12" x 6"
Infeed Opening!



There are 4 - 1/2" thick, double sided chip blades which are easily accessed for replacement and maintenance through the hinged and bolted impeller housing. The impeller is 1" thick x 26" in diameter, with 6 gusseted fan blades to exhaust material. Air vents in the impeller housing and extra wide chip blade pockets allow for more air flow and better exhaust of chips.

ENGINE OPTIONS:

25HP Kohler (Gas), 35HP Kubota (Diesel), 35HP Caterpillar (Diesel), 35HP Yanmar (Diesel)

Salsco offers a full line of Wood/Brush Chippers, both PTO & Engine Driven up to 18" Capacity!

Model 810M - 10" x 18"



Model 810, 10" x 18",
Single or Dual Feed



Model 813 or 813XT, 13" x 18",
Single or Dual Feed



PTO Chippers

Hydraulic Feed or Gravity Feed!



Model 600PTO,
3-1/2" Capacity.



Model 624PTO,
4-1/2" Capacity.

4" or 6" Hydraulic Feed, fully self contained. Models 824 & 826.



6" or 10", Gravity Feed or Hydraulic Feed, Models 627, 627XT, 6210 & 6210XT.



Model 810PTO, 10" x 18", for those really big jobs!



Model 818 or 818XT, 18" x 24", Single, Dual Feed or Quad Feed.

MANUFACTURER OF OUTDOOR POWER EQUIPMENT

Products for Turf & Lawn care, Rental, Construction, Tree Care, Wood Processing, Nursery & Farm Industries

Other Salsco Equipment

3-1/2" - 18" Capacity, Gas, Diesel, & P.T.O., Wood/Brush Chippers

Blade Sharpener/Grinder

Chipper Shredder Vacuums - Tailgate & Truckloader Vacuums

Mini-Asphalt Pavers, (Tracked & Rubber Tire) - Bale Wrappers & Bale Handlers

Salsco, INC.
LEADER BY DESIGN

105 School House Road
Cheshire, CT 06410 U.S.A.
800-872-5726 (Toll Free), 203-271-1682, 203-271-2596 (Fax)
www.salsco.com, sales@salsco.com (email)